

DAFTAR PUSTAKA

- Astuti, F., Capritasari, R., Sumego, M., & Hardjanto, T. E. (2023). Analisis Hasil Tes Kesamaptaan Jasmani Peserta Seleksi Calon Bintara Tenaga Kesehatan TNI AU Alumni Poltekkes TNI AU Adsisutjipto Yogyakarta. *MAHESA : Malahayati Health Student Journal*, 3(2), 426–436. <https://doi.org/10.33024/mahesa.v3i2.9424>
- Baechle, T. R., Earle, R. W., & (U.S.), N. S. & C. A. (2008). Essentials of strength training and conditioning. In *TA - TT - (3rd ed)*. Human Kinetics Leeds. <https://doi.org/LK> - <https://worldcat.org/title/228574155>
- Bauman, A. E., Reis, R. S., Sallis, J. F., Wells, J. C., Loos, R. J. F., & Martin, B. W. (2012). Correlates of physical activity: why are some people physically active and others not? *Lancet (London, England)*, 380(9838), 258–271. [https://doi.org/10.1016/S0140-6736\(12\)60735-1](https://doi.org/10.1016/S0140-6736(12)60735-1)
- Booth, F. W., Roberts, C. K., & Laye, M. J. (2012). Lack of exercise is a major cause of chronic diseases. *Comprehensive Physiology*, 2(2), 1143–1211. <https://doi.org/10.1002/cphy.c110025>
- Cerin, E., Nathan, A., van Cauwenberg, J., Barnett, D. W., & Barnett, A. (2017). The neighbourhood physical environment and active travel in older adults: A systematic review and meta-analysis. *International Journal of Behavioral Nutrition and Physical Activity*, 14(1), 1–23. <https://doi.org/10.1186/s12966-017-0471-5>
- Chakravarty, E. F., Hubert, H. B., Lingala, V. B., & Fries, J. F. (2008). Reduced disability and mortality among aging runners: a 21-year longitudinal study. *Archives of Internal Medicine*, 168(15), 1638–1646. <https://doi.org/10.1001/archinte.168.15.1638>
- Chen, W., Hammond-Bennett, A., Hypnar, A., & Mason, S. (2018). Health-related physical fitness and physical activity in elementary school students. *BMC Public Health*, 18(1), 195. <https://doi.org/10.1186/s12889-018-5107-4>
- Clayton, N., Drake, J., Larkin, S., Springs, R. L.-C., CO, undefined, & 2015, undefined. (n.d.). Foundations of Fitness Programming. *Nsca.Com*. https://www.nasca.com/contentassets/8323553f698a466a98220b21d9eb9a65/foundationsoffitnessprogramming_201508.pdf
- Cooper, K. H. (1968). A means of assessing maximal oxygen intake. Correlation between field and treadmill testing. *JAMA*, 203(3), 201–204.
- Craft, L. L., & Perna, F. M. (2004). The Benefits of Exercise for the Clinically Depressed. *Primary Care Companion to the Journal of Clinical Psychiatry*, 6(3), 104–111. <https://doi.org/10.4088/pcc.v06n0301>
- Ding, D., Lawson, K. D., Kolbe-Alexander, T. L., Finkelstein, E. A., Katzmarzyk, P. T., van Mechelen, W., & Pratt, M. (2016). The

- economic burden of physical inactivity: a global analysis of major non-communicable diseases. *Lancet (London, England)*, 388(10051), 1311–1324. [https://doi.org/10.1016/S0140-6736\(16\)30383-X](https://doi.org/10.1016/S0140-6736(16)30383-X)
- Donnelly, J. E., Blair, S. N., Jakicic, J. M., Manore, M. M., Rankin, J. W., & Smith, B. K. (2009). American College of Sports Medicine Position Stand. Appropriate physical activity intervention strategies for weight loss and prevention of weight regain for adults. *Medicine and Science in Sports and Exercise*, 41(2), 459–471. <https://doi.org/10.1249/MSS.0b013e3181949333>
- Eynon, N., Ruiz, J. R., Oliveira, J., Duarte, J. A., Birk, R., & Lucia, A. (2011). Genes and elite athletes: a roadmap for future research. *The Journal of Physiology*, 589(Pt 13), 3063–3070. <https://doi.org/10.1113/jphysiol.2011.207035>
- Faigenbaum, A. D., & Myer, G. D. (2010). Resistance training among young athletes: safety, efficacy and injury prevention effects. *British Journal of Sports Medicine*, 44(1), 56–63. <https://doi.org/10.1136/bjism.2009.068098>
- Garber, C. E., Blissmer, B., Deschenes, M. R., Franklin, B. A., Lamonte, M. J., Lee, I.-M., Nieman, D. C., & Swain, D. P. (2011). American College of Sports Medicine position stand. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: guidance for prescribing exercise. *Medicine and Science in Sports and Exercise*, 43(7), 1334–1359. <https://doi.org/10.1249/MSS.0b013e318213fefb>
- Granacher, U., Gollhofer, A., Hortobágyi, T., Kressig, R. W., & Muehlbauer, T. (2013). The importance of trunk muscle strength for balance, functional performance, and fall prevention in seniors: a systematic review. *Sports Medicine (Auckland, N.Z.)*, 43(7), 627–641. <https://doi.org/10.1007/s40279-013-0041-1>
- Haskell, W. L., Lee, I.-M., Pate, R. R., Powell, K. E., Blair, S. N., Franklin, B. A., Macera, C. A., Heath, G. W., Thompson, P. D., & Bauman, A. (2007). Physical activity and public health: updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. *Medicine and Science in Sports and Exercise*, 39(8), 1423–1434. <https://doi.org/10.1249/mss.0b013e3180616b27>
- Hassmén, P., Koivula, N., & Uutela, A. (2000). Physical exercise and psychological well-being: a population study in Finland. *Preventive Medicine*, 30(1), 17–25. <https://doi.org/10.1006/pmed.1999.0597>
- Jasmani, D. (2019). *BUKU PEDOMAN tentang TES KESEGARAN JASMANI. September.*
- Kapoor, G., Chauhan, P., Singh, G., Malhotra, N., & Chahal, A. (2022). Physical Activity for Health and Fitness: Past, Present and Future. *Journal of Lifestyle Medicine*, 12(1), 9–14. <https://doi.org/10.15280/jlm.2022.12.1.9>

- Kraemer, W. J., & Ratamess, N. A. (2004). Fundamentals of resistance training: progression and exercise prescription. *Medicine and Science in Sports and Exercise*, 36(4), 674–688. <https://doi.org/10.1249/01.mss.0000121945.36635.61>
- Medicine, A. C. of S., Liguori, G., Feito, Y., Fountaine, C., & Roy, B. A. (2022). ACSM's guidelines for exercise testing and prescription. In *TA - TT - (Eleventh e)*. Wolters Kluwer Philadelphia. <https://doi.org/LK> - <https://worldcat.org/title/1232233224>
- Midgley, A. W., McNaughton, L. R., & Jones, A. M. (2007). Training to enhance the physiological determinants of long-distance running performance: can valid recommendations be given to runners and coaches based on current scientific knowledge? *Sports Medicine (Auckland, N.Z.)*, 37(10), 857–880. <https://doi.org/10.2165/00007256-200737100-00003>
- Muhammad, J. (2022). Perkembangan Kebugaran Fisik Orang Dewasa Muda Ditinjau Dari Jenis Kelamin. *Sains Olahraga : Jurnal Ilmiah Ilmu Keolahragaan*, 4(1), 42. <https://doi.org/10.24114/so.v4i1.17692>
- Netz, Y., Wu, M.-J., Becker, B. J., & Tenenbaum, G. (2005). Physical activity and psychological well-being in advanced age: a meta-analysis of intervention studies. *Psychology and Aging*, 20(2), 272–284. <https://doi.org/10.1037/0882-7974.20.2.272>
- Nugroho, E. (2021). Aktifitas Fisik dan Tingkat Kebugaran Masyarakat Perkotaan di Masa Pandemi Covid-19. *Seminar Nasional LPTK CUP XX Tahun 2021, 2020*, 163–169.
- Nurmidin, M. F., Fatimawali, & Posangi, J. (2020). Pengaruh Pandemi Covid-19 Terhadap Aktivitas Fisik dan Penerapan Prinsip Gizi Seimbang Pada Mahasiswa Pascasarjana. *Journal of Public Health and Community Medicine*, 1(4), 28–32.
- Owen, J., & Fincham, F. D. (2011). Young adults' emotional reactions after hooking up encounters. *Archives of Sexual Behavior*, 40(2), 321–330. <https://doi.org/10.1007/s10508-010-9652-x>
- Páez-Maldonado, J. A., Reigal, R. E., Morillo-Baro, J. P., Carrasco-Beltrán, H., Hernández-Mendo, A., & Morales-Sánchez, V. (2020). Physical Fitness, Selective Attention and Academic Performance in a Pre-Adolescent Sample. *International Journal of Environmental Research and Public Health*, 17(17). <https://doi.org/10.3390/ijerph17176216>
- Pertahanan, K., & Indonesia, R. (2014). *Kementerian Pertahanan Ri Tahun 2013. November*.
- Physical activity guidelines for Americans. (2008). *The Oklahoma Nurse*, 53(4), 25. <https://doi.org/10.1249/fit.0000000000000472>
- Rankinen, T., Roth, S. M., Bray, M. S., Loos, R., Pérusse, L., Wolfarth, B., Hagberg, J. M., & Bouchard, C. (2010). Advances in exercise, fitness, and performance genomics. *Medicine and Science in Sports and Exercise*, 42(5), 835–846. <https://doi.org/10.1249/MSS.0b013e3181d86cec>

- Rhodes, R. E., & Kates, A. (2015). Can the Affective Response to Exercise Predict Future Motives and Physical Activity Behavior? A Systematic Review of Published Evidence. *Annals of Behavioral Medicine: A Publication of the Society of Behavioral Medicine*, 49(5), 715–731. <https://doi.org/10.1007/s12160-015-9704-5>
- Schoenfeld, B. J., Ogborn, D., & Krieger, J. W. (2017). Dose-response relationship between weekly resistance training volume and increases in muscle mass: A systematic review and meta-analysis. *Journal of Sports Sciences*, 35(11), 1073–1082. <https://doi.org/10.1080/02640414.2016.1210197>
- Sherrington, C., Whitney, J. C., Lord, S. R., Herbert, R. D., Cumming, R. G., & Close, J. C. T. (2008). Effective exercise for the prevention of falls: a systematic review and meta-analysis. *Journal of the American Geriatrics Society*, 56(12), 2234–2243. <https://doi.org/10.1111/j.1532-5415.2008.02014.x>
- Stubbs, B., Vancampfort, D., Rosenbaum, S., Firth, J., Cosco, T., Veronese, N., Salum, G. A., & Schuch, F. B. (2017). An examination of the anxiolytic effects of exercise for people with anxiety and stress-related disorders: A meta-analysis. *Psychiatry Research*, 249, 102–108. <https://doi.org/10.1016/j.psychres.2016.12.020>
- TNI, M. B. (2012). *Buku juknis Penyelenggaraan Pendidikan Di Lingkungan TNI*. 103.
- Wackerhage, H., Schoenfeld, B. J., Hamilton, D. L., Lehti, M., & Hulmi, J. J. (2019). Stimuli and sensors that initiate skeletal muscle hypertrophy following resistance exercise. *Journal of Applied Physiology (Bethesda, Md.: 1985)*, 126(1), 30–43. <https://doi.org/10.1152/jappphysiol.00685.2018>
- Warburton, D. E. R., Nicol, C. W., & Bredin, S. S. D. (2006). Health benefits of physical activity: the evidence. *CMAJ: Canadian Medical Association Journal = Journal de l'Association Medicale Canadienne*, 174(6), 801–809. <https://doi.org/10.1503/cmaj.051351>
- Weston, K. S., Wisløff, U., & Coombes, J. S. (2014). High-intensity interval training in patients with lifestyle-induced cardiometabolic disease: a systematic review and meta-analysis. *British Journal of Sports Medicine*, 48(16), 1227–1234. <https://doi.org/10.1136/bjsports-2013-092576>
- WHO. (2012). Global Physical Activity Questionnaire (GPAQ) Analysis Guide. Geneva: World Health Organization, 1–22. [http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Global+Physical+Activity+Questionnaire+\(GPAQ\)+Analysis+Guide#1](http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Global+Physical+Activity+Questionnaire+(GPAQ)+Analysis+Guide#1)
- WHO. (2016). WHO Guidelines on physical activity and sedentary behaviour. In *Routledge Handbook of Youth Sport*.
- Youngstedt, S. D. (2005). Effects of exercise on sleep. *Clinics in Sports Medicine*, 24(2), 355–365, xi. <https://doi.org/10.1016/j.csm.2004.12.003>